



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

been driven to the surface by a heavy rain. From observations and experiments upon domesticated and other confined birds it was learned that chickens, ducks, and the Reeves and Silver Pheasants will eat the *Eleodes*, and that turkeys and the Golden, and Lady Amherst Pheasants refuse them. The author remarks however, that the latter birds were "quite annoyed by our presence, and might have eaten the beetles had they not been frightened." The account of the natural enemies includes also a list of 13 species of birds which the Biological Survey has found to feed upon adult *Eleodes*.

In his account of 'Two destructive Texas ants,'¹ Mr. W. D. Hunter inserts a list of the known bird enemies of the agricultural ant (*Pogonomyrmex barbatus molefaciens*). This list also is taken from Biological Survey records (with the exception of one name), and includes 8 species of birds.

The 'Preliminary report on the alfalfa weevil,'² gives a list of the vertebrate enemies of this new, but important pest, based on the work of Mr. E. R. Kalmbach of the Biological Survey. This represents the results of one season's field work on the relations of birds to this weevil. Thirty-one species are mentioned. A noteworthy point brought out by this investigation is that English Sparrows are among the most effective enemies of the pest, practically rearing their young on a weevil diet. Mr. Kalmbach writes that this season these birds are fully equalling last year's performance.—W. L. M.

The Food of Birds in Scotland.—Miss Laura Florence publishes in the Transactions of the Highland Agricultural Society³ detailed results of the examinations of the alimentary tracts of 616 birds representing 74 species. Since the contents of the intestines as well as of the stomachs were studied, the author is able to present data on the imperfection of digestion in some cases and to indicate possibilities in the distribution of seeds and insect eggs. No general conclusions are drawn, and the results for each species are only very briefly summarized. The detailed information is worthy of record, however, and will no doubt be very welcome to all Britons interested in economic ornithology.

The identity of several of the birds with United States species and the recurrence of many familiar seed and insect names, make an American feel much at home while reading the paper.—W. L. M.

Scott and Sharpe on the Birds of Patagonia.—The third installment of the report on the birds of the Princeton University Expedition to Patagonia⁴ is presented with the same wealth of illustrations and breadth

¹ Circular 148, April 26, 1912.

² Bull. 112, May 14, 1912.

³ Fifth Ser., Vol. XXIV, 1912, pp. 180-219.

⁴ Reports of The Princeton University Expeditions to Patagonia, 1896-1899, J. B. Hatcher in charge. Edited by William B. Scott. Volume II—Ornithology, Part III, Charadriidæ-Anatidæ. By William Earl Dodge Scott associated with R. Bowdler Sharpe. Princeton, N. J. — Stuttgart. Pp. 345-504, text figs. 175-252, pl. 1.